





TARGET UNDER CONTROL

$$\frac{130}{80}$$
$$\frac{130}{80}$$


OLMAC
Olmesartan Medoxomil

OLMAC Has Strong Binding Affinity And *Double Chain Domain* Effect.

OLMAC has a higher affinity and slower dissociation for AT1 Receptor¹



Powerful Vasodilation

OLMAC



Vasodilation

Other ARB_s




OLMAC

Olmesartan Medoxomil


Once daily for 24 Hours Control

OLMAC more potent and significantly reduces both daytime and night time BP levels compared to other ARBs^{3,4}

4 mmHg



3 mmHg



Cost effective Hypertensive Therapy



OLMAC 40 Olmesartan Medoxomil

- ACEI intolerant patients
- Chronic kidney disease patients



OLMAC 20 Olmesartan Medoxomil

- Newly Diagnosed Hypertensive patients
- Diabetic Hypertensive patients

References:

1. Miura s, et al. British J pharmacol.2007; 151(7): 912-9132. H Brunner and P laeis, Journal of Hypertension 2003:S 43-S46 3. Sith et al, Am J Cardiovasc Drugs 2005;5:42-504. Nakayami S, Watada H, et al: Hypertens Res 2008;31(1):7-13, 5. Eur Heart J, 2013, 34:2159-2219

Distributed By:

ProPharma
Medical Supplies

 +971 2 658 8717 /+971 506132257

 info@propharma.ae

 www.propharma.ae