



# Lyderm™

Contains: Permethrin 5% w/w

## Topical Cream for Scabies



Scabies  
Mite



Mites burrow under  
the skin and lay eggs

### What is scabies?

Scabies is caused by a mite called *Sarcoptes scabiei*. The female mite burrows into the outer layers of the skin to lay its eggs. The female mite is larger than the male and is just visible to the naked eye (0.4 x 0.3mm). The female mite feeds on skin cells as she burrows and lays her eggs behind her. This burrowing into the skin is usually painless; at this stage the infection is not noticed. The intense itch and rash of scabies is caused by an allergic reaction to the mites, their droppings or their dead bodies. The scabies itch often takes 3 - 4 weeks to develop and is often worst at night. The itch usually occurs on the hands, arms, legs, inner thighs and around the waist.

### How is scabies caught?

- The scabies mite is transmitted by direct and prolonged skin contact
- Passed between family members and partners sharing the same bed
- Scabies cannot be caught from bed linen or clothing.

Distributed by:

**ProPharma**  
Medical Supplies

P.O. Box 47612,  
Plot C-2 Al Meena St.  
New Meena Store,  
Abu Dhabi, UAE

☎ +971 2 673 4781  
+971 506132257  
✉ info@propharma.ae  
🌐 www.propharma.ae

## يستخدم كريم Lyderm يحتوي على: هيدروكورتيزون 10% قبل استخدام الكريم

• قبل استخدام الكريم استخدمه أولاً على الجزء المصاب من الجسم.

• ضع كريم Lyderm في مكان جاف بعيد عن الحرارة، بعيداً عن متناول

الاطفال.

• لا تضع كريم Lyderm في

العينين، أو في الفم، أو في

جوف الأنف، أو في جوف الأذن،

أو في أي مكان آخر قد يضره.

• إذا كنت بحاجة إلى استخدام

كريم Lyderm على وجهك، فاستخدم

كمية صغيرة جداً من الكريم،

فقط على المناطق المصابة.

• لا تضع كريم Lyderm على

الجلد الجاف، أو على الجلد الذي

يحتوي على جروح، أو حروق، أو

بثور، أو لدغات حشرات، أو

بثور حب الشباب.

• لا تضع كريم Lyderm على

الجلد الذي يتغير لونه، أو الذي

يحتوي على علامات علامات

الشيخوخة، أو علامات علامات

السرطان، أو علامات علامات

العدوى الفطرية، أو علامات

العدوى البكتيرية، أو علامات

العدوى الفيروسية، أو علامات

العدوى الطفيلية، أو علامات

العدوى الجذرية، أو علامات

العدوى الحشرية، أو علامات

العدوى الفطرية، أو علامات

العدوى الفيروسية، أو علامات

العدوى الطفيلية، أو علامات

العدوى الجذرية، أو علامات

العدوى الحشرية، أو علامات

العدوى الفطرية، أو علامات

العدوى الفيروسية، أو علامات

العدوى الطفيلية، أو علامات

العدوى الجذرية، أو علامات

العدوى الحشرية، أو علامات

العدوى الفطرية، أو علامات

العدوى الفيروسية، أو علامات

• لا تضع كريم Lyderm في

العينين، أو في الفم، أو في

جوف الأنف، أو في جوف الأذن،

أو في أي مكان آخر قد يضره.

• إذا كنت بحاجة إلى استخدام

كريم Lyderm على وجهك، فاستخدم

كمية صغيرة جداً من الكريم،

فقط على المناطق المصابة.

• لا تضع كريم Lyderm على

الجلد الجاف، أو على الجلد الذي

يحتوي على جروح، أو حروق، أو

بثور، أو لدغات حشرات، أو

بثور حب الشباب.

• لا تضع كريم Lyderm على

الجلد الذي يتغير لونه، أو الذي

يحتوي على علامات علامات

الشيخوخة، أو علامات علامات

السرطان، أو علامات علامات

العدوى الفطرية، أو علامات

العدوى البكتيرية، أو علامات

العدوى الفيروسية، أو علامات

العدوى الطفيلية، أو علامات

العدوى الجذرية، أو علامات

العدوى الحشرية، أو علامات

العدوى الفطرية، أو علامات

العدوى الفيروسية، أو علامات

العدوى الطفيلية، أو علامات

العدوى الجذرية، أو علامات

العدوى الحشرية، أو علامات

العدوى الفطرية، أو علامات

العدوى الفيروسية، أو علامات

العدوى الطفيلية، أو علامات

العدوى الجذرية، أو علامات

العدوى الحشرية، أو علامات

العدوى الفطرية، أو علامات

العدوى الفيروسية، أو علامات

العدوى الطفيلية، أو علامات

العدوى الجذرية، أو علامات

العدوى الحشرية، أو علامات

العدوى الفطرية، أو علامات

العدوى الفيروسية، أو علامات

العدوى الطفيلية، أو علامات

## Lyderm<sup>TM</sup> Topical Cream Contains: Hydrocortisone 10% w/w 30g

### Before using the cream

- Have you ever had an allergic reaction to drugs, medicines, penicillin, other synthetic penicillins or p-synthetins?
- Are you pregnant, trying to become pregnant or breast feeding?
- Do you have any other health problems?
- Do you have any other conditions, tell your doctor or pharmacist before you use your cream.

### Using your cream

- Ensure the skin is clean, dry and cool. Do not take a hot bath immediately before treatment.
- All members of the affected household should be treated simultaneously. Treatment should be applied to the whole body, including the scalp, neck, face and ears. Particular attention should be paid to the webs of the fingers and toes and cream in-between the webs of the feet. Particular attention should be paid to the webs of the fingers and toes.
- Avoid the area around the mouth. The cream could be licked off and around the eyes.
- Apply Lyderm to hands if they are washed within 8 hours of treatment.
- The following table shows you how much cream should normally be used per dose:

Adults and children over 15 years	
Up to one tube	
4 to 12 years	Up to half of a tube
2 to 4 years	Up to a quarter of a tube
6 months to 1 year	Up to one quarter of a tube
Up to 6 months of age	Up to one eighth of a tube

A few adults may need to use an additional tube, but do not apply more than two tubes.

The cream must only be used on the skin. Apply evenly over affected areas.

- Children between 2 months and 2 years and elderly patients over 70 years old should be treated under medical supervision.
- Avoid contact with the eyes. In the event of eye contamination, rinse with water immediately.
- The cream should be left on for at least 8 hours. Do not wash off with soap and water nor more than 24 hours later.
- Patients with hypersensitive skin should be treated under medical supervision as they may require 2 or 3 applications of cream.
- Patients on consecutive days to ensure enough cream to lubricate the skin needs to fill all the tubes.

### After using your cream

- The cream occasionally causes side effects in some people.
- Discomfort, itching or stinging of the skin occurs, but it is usually slight and passes off quickly.
- Temporary redness or irritation may occur on the skin.
- Some patients may develop an allergic reaction to a preservative in the cream. This may give an redness of the skin, it may be itching.
- If you are in doubt about the success of treatment, consult your doctor.

### Storing your cream

- Store Lyderm in a cool place below 25°C. Do not freeze. Keep out of reach of children.
- Medicines can harm if not used properly.

### What's in your cream

- Lyderm is a white cream containing 0.5% w/w corticosteroid. It contains preservatives methyl and propyl hydroxybenzoate and Dimethyl Hyoxazone. It does not contain any parabens, or fragrances.

### What is eczema?

Scabies is caused by a mite called Sarcoptes scabiei.

The intense itch and rash of scabies is caused by an allergic reaction to the mites, their droppings or their dead bodies.

The scabies itch often lasts 3 - 4 weeks to clearing and is often worst at night.

### How is scabies caught?

The scabies mite is transmitted by direct and prolonged skin contact. It is commonly passed by intimate personal contact. Scabies cannot be caught from bed linen or clothing.

### Treatment

Treatment of scabies is simple and effective. The treatment is applied to the whole body including the scalp, neck, face and ears. Particular attention should be paid to the webs of the fingers and toes and cream on and under the ends of nails and all family members should be treated at the same time. You should not have a bath before treatment; in fact, treatment should be done on clean but cool skin. Usually, someone else should apply the treatment, so that the whole body surface is covered. Try to ensure that the cream is applied systematically so that no patches of skin are missed. After treatment the itch may worsen or increase for a while but will go away gradually after 1 - 2 weeks, when all of the dead mites have been rubbed off along with the outer layers of the skin. The itching can be relieved by using Calamine lotion or anti-histamine tablets.

If the itch does not get better, or if you are in doubt about the success of treatment, consult your doctor.

The normal washing procedure should be followed for those items after treatment.



## كيفية استخدام الكريم

• قبل وضع كريم Lyderm في مكان جاف بعيد عن الحرارة، بعيداً عن متناول

الاطفال.

• لا تضع كريم Lyderm في

العينين، أو في الفم، أو في جوف الأنف، أو في جوف الأذن، أو في أي مكان آخر قد يضره.

## تخزين الكريم

• ضع كريم Lyderm في مكان جاف بعيد عن الحرارة، بعيداً عن متناول

الاطفال.

• لا تضع كريم Lyderm في

العينين، أو في الفم، أو في جوف الأنف، أو في جوف الأذن، أو في أي مكان آخر قد يضره.

• ضع كريم Lyderm في مكان جاف بعيد عن الحرارة، بعيداً عن متناول

الاطفال.

• لا تضع كريم Lyderm في

العينين، أو في الفم، أو في جوف الأنف، أو في جوف الأذن، أو في أي مكان آخر قد يضره.